M2plus

Portfolio

TV's | Washing Machines | Air Coolers



www.m2plus.in

LIVE VISUAL EXPERIENCE

Experience Live picture quality with brighter images and more vibrant colours with the superb LED Screen that ensures consistent & accurate colour from all viewing angles. The M2Plus display technology delivers an expanded array of rich colours for a brilliant & a stunning image that enhances the viewing experience with extraordinary colour.



Lifelike details with 4K HDR

High Dynamic Range (HDR) is the new standard for picture quality, offering a much wider range of colour, contrast and clarity. A M2Plus 4K HDR TV improves the picture even further, using technologies display to reveal previously unavailable levels of realism, making you really feel a part of the scene.



Exceptionally real contrast

Full Array LED with Local Dimming allows TV panel to exhibit precise contrast by controlling complete array of led producing light locally where needed. X-tending Dynamic Range produces a far wider brightness range than a conventional LED TV for the most dazzling lights and deepest blacks.



Vibrant shades of colour from any viewing angle

See vivid real-world colours, even from the sides, on this wide-angle TV, M2Plus Wide Angle Technology allows the faithful shades and heus of the display to be enjoyed from any angle.



Every moment, beautifully clear

The latest clarity technology keeps fast action smooth, bright and clear. Moving images are precisely controlled to minimize blur. Even during high speed scenes, picture stay true with no loss of brightness.

UPDATE YOUR SOUND EXPERIENCE



Powerful sound, finely balanced

Hear more from powerful tube speaker box with an intense and focused sound. The bass reflex speaker produces clear, rich sounds from crisp highs to extended lows.



Bigger, better and powerful bass

Upgrade your viewing experience with 2.1 channel surrounded sound. Fill the room with rich and powerful bass and enjoy your favourite contents with more excitement.

M2PLUS LED TV RANGE



powered by webOS TV

Deliver what you want



Google TV

Live the experience



UHD TV

Stunning details

Frameless
4K Detailed Picture
SmartThings
One Remote with S Voice



FHD ANDROID TV

Endless entertainment

Frameless
Dynamic Crystal Clear
Full High Definition Picture
One Remote with S Voice



SMART TV

Sharper, smarter

Smart Android View
Extinct Colours with 178° Viewing Angle
One Remote with S Voice
Powerful Tube Speakers



ThinQ AI | Magic Remote™ | Miracast™

HDR10 HLG | alexa built-in | ARM CA-55 1.1 GHz Quad Core Processor

DOLBY AUDIO | 2 WAY BLUETOOTH 5.0 | 4K ULTRA HD

MEMC | BEZEL LESS DESIGN | Dual Band Wi-Fi 802.11 a/b/g/n/ac

	CG98SFLUHDW	CG85SFLUHDW
Screen Size	241 cm / 98"	215 cm / 85"
Elite Design	Frameless	Frameless
Operating Software	Web OS	Web OS
Resolution	3840x2160	3840x2160
Response Time	8ms	8ms
Bluetooth	Yes	Yes
IC/Voice Remote	Yes	Yes
Image Aspect Ratio	16:9 | 4:3	16:9 | 4:3
Refresh Rate	60Hz	60Hz
USB | HDMI Ports	2 | 3	2 | 3
RAM | ROM	1.5 | 8.0GB	1.5 | 8.0GB

M2plus

powered by

webOS TV


98" / 85" / 75" / 65" / 55"/ 50"/ 43"/ 40"/ 32"

M2Plus Smart TVs with webOS deliver what you want, when you want it, hassle-free. News, sports, entertainment, and more - it's all at your fingertips.



M275SFLUHDW	M265SFLUHDW	M255SFLUHDW	M250SFLUHDW	M243SFLUHDW	M240SFLUHDW	M232SFLUHDW
190 cm / 75"	164 cm / 65"	139 cm / 55"	127 cm / 50"	108 cm / 43"	102 cm / 40"	80 cm / 32"
Frameless	Frameless	Frameless	Frameless	Frameless	Frameless	Frameless
Web OS	Web OS	Web OS	Web OS	Web OS	Web OS	Web OS
3840x2160	3840x2160	3840x2160	3840x2160	3840x2160	1920x1080	1366x768
8ms	8ms	8ms	8ms	8ms	8ms	8ms
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3
60Hz	60Hz	60Hz	60Hz	60Hz	60Hz	60Hz
2 | 3	2 | 3	2 | 3	2 | 3	2 | 3	2 | 3	2 | 3
1.5 | 8.0GB	1.5 | 8.0GB	1.5 | 8.0GB	1.5 | 8.0GB	1.5 | 8.0GB	1.5 | 8.0GB	1.5 | 8.0GB

M2plus



4K UHD LED TV SERIES
98" / 85"/ 75"/ 65"/ 55"/ 50"/ 43"

- ✓ FRAME LESS DESIGN
- ✓ VOICE REMOTE FEATURE
- ✓ SOUND BAR SPEAKERS
- ✓ LATEST ANDROID VERSION
- ✓ IN BUILT BLUETOOTH

Experience the breath-taking crystal colour with 4K UHD resolution. M2Plus Android TV supports (HDR-10) HDR decoding. The High Dynamic Range provides incredible colour, improved brightness and outstanding contrast details producing more realistic picture. It supports HDR content with online streaming, HDMI and USB source.

www.m2plus.in

A+ GRADE PANEL | BUILT-IN Wi-Fi | Wireless Display | YouTube | Google play | Disney+ hotstar | prime video | N



	M298SFLUHD	M285SFLUHD	M275SFLUHD	M265SFLUHD	M255SFLUHD	M250SFLUHD	M243SFLUHD	M240SFLUHD
Screen Size	241 cm / 98"	215 cm / 85"	190 cm / 75"	164 cm / 65"	139 cm / 55"	127 cm / 50"	108 cm / 43"	102 cm / 43"
Elite Design	Frameless	Frameless	Frameless	Frameless	Frameless	Frameless	Frameless	Frameless
Operating Software	Android 11.0	Android 11.0	Android 11.0	Android 11.0	Android 11.0	Android 11.0	Android 11.0	Android 11.0
Resolution	3840x2160	3840x2160	3840x2160	3840x2160	3840x2160	3840x2160	3840x2160	1920x1080
Response Time	8ms	8ms	8ms	8ms	8ms	8ms	8ms	8ms
Bluetooth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Voice Remote	Yes	Yes	Yes	Yes	Yes	Yes	Optional	Yes
Image Aspect Ratio	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3
Refresh Rate	60Hz	60Hz	60Hz	60Hz	60Hz	60Hz	60Hz	60Hz
USB | HDMI Ports	2 | 3	2 | 3	2 | 3	2 | 3	2 | 3	2 | 3	2 | 3	2 | 3
RAM | ROM	2.0 | 16.0GB	2.0 | 16.0GB	2.0 | 16.0GB	1.0 | 8.0GB	1.0 | 8.0GB	1.0 | 8.0GB	1.0 | 8.0GB	2.0 | 16.0GB

M2plus

FHD LED TV SERIES 43"/ 40"

Your favourite TV programs and movies get real. The rich and vivid Full HD resolution with twice the resolution of HD TV. It's all you need to discover tons of different content in one place and get maximum enjoyment. Beautiful slim design melts into any existing décor and elevates the style without taking it over.



www.m2plus.in



	M250SFLF	M243SFLF	M243SFLFBT	M240SFLF
Screen Size	127 cm / 50"	108 cm / 43"	108 cm / 43"	102 cm / 43"
Elite Design	Frameless	Frameless	Frameless	Frameless
Operating Software	Android 11.0	Android 11.0	Android 11.0	Android 11.0
Resolution	1920x1080	1920x1080	1920x1080	1920x1080
Response Time	8ms	8ms	8ms	8ms
Bluetooth	NA	NA	Yes	NA
Voice Remote	Optional	Optional	Yes	Optional
Image Aspect Ratio	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3
Refresh Rate	60Hz	60Hz	60Hz	60Hz
USB | HDMI Ports	2 | 2	2 | 2	2 | 2	2 | 2
RAM | ROM	1.0 | 8.0GB	1.0 | 8.0GB	1.0 | 8.0GB	1.0 | 8.0GB

M2plus

www.m2plus.in

SMART LED TV SERIES
32"/ 24"



M2plus

www.m2plus.in



7.5 Kg

Washing Machine

Glass Type: Toughened Glass

Pulsator: Heavy Wash Pulsator

Wash Motor: 135 W

Spin Motor: 45 W

Gear Case: Spur Gear 1:375 Ratio

Water Capacity: Overflow -70 Ltr

Spin Tub: Diamond Steel drum

Filter Type: Lint Filter

Product Dimension: 755 X 445



Spin Tub Option



Glass Designs



M2plus

www.m2plus.in



Glass Designs









9.5 Kg

Washing Machine

Glass Type: Toughened Glass

Pulsator: Heavy Wash Pulsator

Wash Motor: 185 W

Spin Motor: 70 W

Gear Case: Spur Gear 1:5 Ratio

Water Capacity: Overflow -90 Ltr

Spin Tub: Diamond Steel drum

Filter Type: Double Magic Filter

Product Dimension: 755 X 480



Spin Tub Option



M2plus



Glass Designs

11.5Kg

Washing Machine

Glass Type: Toughened Glass

Pulsator: Heavy Wash Pulsator

Wash Motor: 200 W

Spin Motor: 70 W

Gear Case: Spur Gear 1:5 Ratio

Water Capacity: Overflow -105 Ltr

Spin Tub: Diamond Steel drum

Filter Type: Double Magic Filter

Product Dimension: 885 X 525 X 1054 mm

Box Dimension: 915 X 565 X 1070 mm

Net Weight: 31 kg



Spin Tub Option






www.m2plus.in

M2plus

- ✓ FRAME LESS DESIGN
- ✓ LATEST ANDROID VERSION
- ✓ VOICE REMOTE FEATURE
- ✓ IN BUILT BLUETOOTH
- ✓ SOUND BAR SPEAKERS

Presenting the best Smart TV. Offering convergence without internet between your smart phone and TV, Bluetooth 2-way audio and auto data backup. Go smart on entertainment with a vast library of new-age contents. It becomes even more convenient with browser which is a one stop destination for all information you need. If all this sounds great then it will sound even better through the powerful 40 Watt, 4 channel surround speakers that take your entertainment to another level.



SMART / NON-SMART

	M232SFLF	M232SFLF	M232SFLF	M232NFLF	M224SFLF	M224NFLF
Screen Size	80 cm / 32"	80 cm / 32"	80 cm / 32"	80 cm / 32"	60 cm / 24"	60 cm / 24"
Elite Design	Frameless	Frameless	Frameless	Frameless	Frameless	Frameless
Operating Software	Android 11.0	Android 11.0	Android 11.0	Normal	Android 11.0	Normal
Resolution	1366x768	1366x768	1366x768	1366x768	1366x768	1366x768
Response Time	8ms	8ms	8ms	8ms	8ms	8ms
Bluetooth	NO	Yes	Yes	NA	NA	NA
Voice Remote	Optional	Yes	Yes	NA	NA	NA
Image Aspect Ratio	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3	16:9 | 4:3
Refresh Rate	60Hz	60Hz	60Hz	60Hz	60Hz	60Hz
USB | HDMI Ports	2 | 2	2 | 2	2 | 2	2 | 2	2 | 2	2 | 2
RAM | ROM	1.0 | 8.0GB	1.0 | 8.0GB	1.0 | 8.0GB	NA	NA	NA


M2plus
Digital Signage
www.m2plus.in

Digital Signage & Interactive Panel

- WALL MOUNT SERIES
- WALL MOUNT ULTRA SLIM SERIES
- EASEL STANDY
- FLOOR STANDY
- POLE STANDY
- KIOSK STANDY (TOUCH SERIES)
- VIDEO WALL / BANNER
- COLLAGE
- POSTER









www.m2plus.in

SPECIFICATION

MODEL		IFP65-01	IFP75-01	IFP86-01	IFP98-01
DISPLAY	SCREEN SIZE	65"LEDBacklit	75"LEDBacklit	86"LEDBacklit	98"LEDBacklit
	ANDROID VERSION	11	11	11	11
	ACTIVE AREA	1432*807mm	1649.664*927.936mm	1895.04*1065.96mm	2158*1238.4mm
	RESOLUTION	3840*2160 ultra hd	3840*2160 ultra hd	3840*2160 ultra hd	3840*2160 ultra hd
	ASPECT RATIO	16/9	16/9	16/9	16/9
	CONTRAST RATIO	4000/1	4000/1	4000/1	4000/1
	COLOURS	1.07 Billion	1.07 Billion	1.07 Billion	1.07 Billion
	BRIGHTNESS(cd/m2)	400	400	400	400
	VIEWING ANGLE	178/178	178/178	178/178	178/178
	SCREEN SURFACE	Anti glare 4mm, Tempered glass	Anti glare 4mm, Tempered glass	Anti glare 4mm, Tempered glass	Anti glare 4mm, Tempered glass
TOUCH	TECHNOLOGY	Infrared	Infrared	Infrared	Infrared
	HID SUPPORT	No	Yes	Yes	Yes
	POINT	20 Touch	20 Touch	20 Touch	20 Touch
	RESPONSE TIME	4ms	4ms	4ms	4ms
OPERATING SYSTEM (ANDROID)	RAM	4GB/8GB	4GB/8GB	4GB/8GB	4GB/8GB
	ROM	32GB/128GB	32GB/128GB	32GB/128GB	32GB/128GB
	COMPATIBLE WITH	Windows/Mac/Linux	Windows/Mac/Linux	Windows/Mac/Linux	Windows/Mac/Linux
POWER	INPUT VOLTAGE	100-240V, AC	100-240V, AC	100-240V, AC	100-240V, AC
	POWER CONSUMPTION	Maximum<280W, ECO<75W	Maximum<350W, ECO<75W	Maximum<430W, ECO<75W	Maximum<520W, ECO<75W
	STANDY POWER	<0.5W	<0.5W	<0.5W	<0.5W
CONNECTIVITY	INPUT	HDMIx3,TYPEC x1,AUDIOIN x1 TOUCH x1	HDMIx3,TYPEC x1,AUDIOIN x1 TOUCH x1	HDMIx3,TYPEC x1,AUDIOIN x1 TOUCH x1	HDMIx3,TYPE C x1, AUDIOIN x1 TOUCH x1
	OUTPUT	RJ45x1,AUDIO OUTx1 OPTIONAL	RJ45x1,AUDIO OUTx1	RJ45x1,VGAx1,OPx1 AUDIO OUTx1	RJ45x1,VGAx1,SPDIF x1 AUDIO OUTx1
	INPUT/OUTPUT	USB2.0x1,USB3.0x4 RS232x1,USB OUTx1	USB2.0x1,USB3.0x4 RS232x1	USB2.0x1,USB3.0x4 RS232x1	USB2.0x1,USB3.0x4 RS232x1,USB OUTx1
	OUTPUT (Speakers)	15Wx2	15Wx2	15Wx2	15Wx2
ACCESSORIES	Stylus Pen	2	2	2	2
	POWER CABLE	1.5m	1.5m	1.5m	1.5m
	REMOTE CONTROL	1	1	1	1
	HDMI CABLE	1.5m	1.5m	1.5m	1.5m
	USB TOUCH	1.5m	1.5m	1.5m	1.5m
	MANUAL	1	1	1	1
	Wall Mount Kit	1	1	1	1
PHYSICAL SPECIFICATION	NET WEIGHT	45kg	58kg	85kg	147kg
	GROSS WEIGHT	58kg	68kg	98kg	178kg
	DIMENSIONS	1468.4*896.6*87.2mm	1709*1020*88mm	1957*1160*100mm	2261.8*1351*103mm
OPTIONAL ITEMS	DETACHABLE PC	CPU:Intel®processor,RAM:8GB/16GB,256GB/512D,Operating System:Windows10, Ports:USB3.0x3,USB2.0x3,HDMIOutx1,RJ45x1,OPx1,Mic/ine1,Audioline1			
	Mobile Stand	Optional			

M2plus

Interactive Panel



M2plus





Wall Mount Series

MODEL	SCREEN SIZE	DIMENSION mm	FEATURES
M2-24W	24”	560 X 335 X 80	REGULAR BODY WALL MOUNT TYPE **(HORIZONTAL / VERTICAL)**
M2-32W	32”	720 X 425 X 90	REGULAR BODY WALL MOUNT TYPE **(HORIZONTAL / VERTICAL)**
M2-43W	43”	965 X 560 X 90	REGULAR BODY WALL MOUNT TYPE **(HORIZONTAL / VERTICAL)**
M2-24MW	24”	582 X 353 X 65	METAL BODY TOUGHENED GLASS WALL MOUNT TYPE **(HORIZONTAL / VERTICAL)**
M2-32MW	32”	760 X 455 X 80	METAL BODY TOUGHENED GLASS WALL MOUNT TYPE **(HORIZONTAL / VERTICAL)**
M2-43MW	43”	995 X 587 X 80	METAL BODY TOUGHENED GLASS WALL MOUNT TYPE **(HORIZONTAL / VERTICAL)**
M2-50MW	50”	1155 X 665 X 110	METAL BODY TOUGHENED GLASS WALL MOUNT TYPE **(HORIZONTAL / VERTICAL)**
M2-65MW	65”	490 X 855 X 110	METAL BODY TOUGHENED GLASS WALL MOUNT TYPE **(HORIZONTAL / VERTICAL)**

www.m2plus.in

www.m2plus.in

M2plus

The Future of Video Wall Technology:

TRENDS AND INNOVATION



M2plus *Wall Mount Ultra Slim Series*

MODEL	SCREEN SIZE	DIMENSION mm	FEATURES
CGDS-32UVW	32”	910 X455 X30	ULTRA SLIM BODY TOUGHENED GLASS WALL MOUNT TYPE **(VERTICAL ONLY)**
CGDS-43UVW	43”	1175 X 590 X 60	SLIM BODY TOUGHENED GLASS WALL MOUNT TYPE **(VERTICAL ONLY)**
CGDS-43UHW/ CGDS-43USS	43”	760 X 1060 X 30	METAL BODY ULTRA SLIM TOUGHENED GLASS WALL MOUNT TYPE **(HORIZONTAL ONLY)**

M2plus

www.m2plus.in



Easel Standy

MODEL	SCREEN SIZE	DIMENSION mm	FEATURES
M2-32SES	32”	1470 X 470 X 440	ULTRA SLIM BODY TOUGHENED GLASS METAL EASEL STAND
M2-43SES	43”	1530 X 590 X 65	SLIM BODY TOUGHENED GLASS METAL EASEL STAND

M2plus

Floor Standy

MODEL	SCREEN SIZE	DIMENSION mm	FEATURES
M2-32FS	32”	1500 X 590 X 260	METAL SLIM BODY TOUGHENED GLASS METAL VERTICAL STAND
M2-43FS	43”	1800 X 800 X 340	METAL SLIM BODY TOUGHENED GLASS METAL VERTICAL STAND
M2-55FS	55”	2030 X 810 X 370	METAL SLIM BODY TOUGHENED GLASS METAL VERTICAL STAND
M2-65FS	65”		METAL SLIM BODY TOUGHENED GLASS METAL VERTICAL STAND
M2-75FS	75”		METAL SLIM BODY TOUGHENED GLASS METAL VERTICAL STAND
M2-85FS	85”		METAL SLIM BODY TOUGHENED GLASS METAL VERTICAL STAND



www.m2plus.in



M2plus

Kiosk Standy Touch Series

MODEL	SCREEN SIZE	DIMENSION mm	FEATURES
M2-24KS	24”	330 X 585 X 520	METAL BODY TOUGHENED GLASS TOUCH SCREEN
M2-32KS	32”	1330 X 755 X 520	METAL BODY TOUGHENED GLASS TOUCH SCREEN COMFORTABLE HEIGHT
M2-43TW	43”	1840 X 455 X430	METAL BODY TOUGHENED GLASS TOUCH SCREEN WALL MOUNTED

www.m2plus.in



M2plus

M2PLUS
Digital Signage Display

Pole Stand Range

Available In: 24", 32" & 43"

MODEL	SCREEN SIZE	DIMENSION mm	FEATURES
M2-24PS	24"	1670 X 430 430	METAL SLIM BODY TOUGHENED GLASS METAL VERTICAL CHROME PLATED STAND
M2-32PS	32"	1835 X 455 X430	METAL SLIM BODY TOUGHENED GLASS METAL VERTICAL CHROME PLATED STAND
M2-43PS	43"	1955 X 586 X430	METAL SLIM BODY TOUGHENED GLASS METAL VERTICAL CHROME PLATED STAND

www.m2plus.in

M2plus

Video Wall Banner



MODEL	SCREEN SIZE	DIMENSION mm	FEATURES
M2-32BNR	32”	3624 X 435 X 110	LONG CUSTOMISED DISPLAY
M2-55VW4	55”	2500 X 1500	2 X 2 VIDEO WALL **(3.5mm B2B with Offline S/W)**
M2-55VW9	55”	3750 X 2250	3 X 3 VIDEO WALL **(3.5mm B2B with Offline S/W)**

www.m2plus.in

M2plus

Poster

MODEL :- M2-32PST

SCREEN SIZE :- 32”

DIMENSION mm :- 1440 X 855 X80

FEATURES :- COMBINATION OF 32" FOUR DISPLAY




M2plus
M2plus
AIR
CONDITIONER
www.m2plus.in

M2plus



AC - 3 STAR

Specification	Measure	Model				
Features	Units	M2-10TFS3	M2-10TINV3	M2-10THCINV3	M2-15TINV3	M2-15THCINV3
BEE Star Rating		3	3	3	3	3
Power Supply	V/Hz/Ph	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1
Capacity	Tonnage	1	1	1	1.5	1.5
Variant		Non Invertor	Invertor	Hot & Cool invertor	Invertor	Hot & Cool invertor
Cooling Capacity (Full Load)	W	3500	3440	3440	5050	5050
Cooling Capacity (Half Load)	W	-	1720	1720	2525	2525
Heating Capacity	W	-	-	W	-	-
Power Consumption (Full Load)	W	910	990	990	1640	1640
Power Consumption (Half Load)	W	-	450	450	600	600
Current Input (Full Load)	A	4.2	4.6	4.6	7.5	7.5
Current Input (Half Load)	A	-	3.4	3.4	4.5	4.5
ISEER	W/W	3.85	3.91	3.91	3.91	3.91

M2plus

INDOOR UNIT



Front Panel		White Glossy	White Glossy	White Glossy	White Glossy	White Glossy	White Glossy	White Glossy
Airflow Volume	CMH (mAhr)	900	675	990	1492	1440	1640	1640
Fan Speed	RPM	1180	1000	1000	1300	1300	1350	1350
Noise Level	dBA	< 46	< 46	< 46	< 46	< 46	< 46	< 46
Dimensions (L * H * W)	mm	900 * 240 * 300	900 * 240 * 300	900 * 240 * 300	900 * 240 * 300	900 * 240 * 300	900 * 240 * 300	900 * 240 * 300
Net / Gross Weight	Kg	10.1 / 13.2	10.1 / 13.2	10.1 / 13.2	10.1 / 13.2	10.1 / 13.2	10.1 / 13.2	10.1 / 13.2

M2plus

OUTDOOR UNIT



Condenser Type		Copper	Copper	Copper	Copper	Copper	Copper	Copper
Compressor		Highly / GMCC	Highly / GMCC	Highly / GMCC	Highly / GMCC	Highly / GMCC	Highly / GMCC	Highly / GMCC
Compressor Type		Rotary	Rotary	Rotary	Rotary	Rotary	Rotary	Rotary
Air Flow Volume	CMH (mAhr)	2100	2100	2100	2100	2100	2100	2100
Noise Level	dBA	< 58	< 58	< 58	< 58	< 58	< 58	< 58
Refrigerant Type / Charge	Type / Kg	R -32 / 0.770	R -32 / 0.570	R -32 / 0.570	R -32 / 0.750	R -32 / 0.890	R -32 / 0.630	R -32 / 0.630
Dimensions (W * H * D)	mm	835 * 295 * 555	835 * 295 * 555	835 * 295 * 555	835 * 295 * 555	835 * 295 * 555	835 * 295 * 555	835 * 295 * 555
Net / Gross Weight	Kg	29.3 / 33.0	24.3 / 28.8	24.3 / 28.8	25.8 / 30.3	36.5 / 41.5	25.8 / 30.3	25.8 / 30.3
Piping Connection	meter	3	3	3	3	3	3	3
Approx. Cooling Area	Sq Ft	120 -130	120 -130	120 -130	120 -130	120 -130	120 -130	120 -130



Indoor Unit Display Type	Hidden Display	Hidden Display	Hidden Display	Hidden Display	Hidden Display	Hidden Display	Hidden Display
Airflow Control Type	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Remote Control	Wireless LED	Wireless LED	Wireless LED	Wireless LED	Wireless LED	Wireless LED	Wireless LED
Self Cleaning	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Express Cool @52 Deg C	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Vitamin C Filter	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Silver Iron Filter	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Dust Filter	Yes	Yes	Yes	Yes	Yes	Yes	Yes



AC - 5 STAR

Specification	Measure	Model			
Features	Units	M2-10TINV5	M2-15TINV5	M2-20TINV5	M2-15THCINV5
BEE Star Rating		5	5	5	5
Power Supply	V/Hz/Ph	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1
Capacity	Tonnage	1	1.5	2	1.5
Variant		Invertor	Invertor	Invertor	Invertor
Cooling Capacity (Full Load)	W	3500	5200	6200	5200
Cooling Capacity (Half Load)	W	1750	2600	3100	2600
Heating Capacity	W	-	-	-	5200
Power Consumption (Full Load)	W	810	1250	1580	1250
Power Consumption (Half Load)	W	335	435	455	435
Current Input (Full Load)	A	3.62	5.56	7	5.56
Current Input (Half Load)	A	4.5	3.22	4.5	3.22
ISEER	W/W	5.13	5.42	5.12	5.42



INDOOR UNIT

Front Panel		White Glossy	White Glossy	White Glossy	White Glossy
Airflow Volume	CMH (mAhr)	800	1200	1250	1200
Fan Speed	RPM	1180	1300	1350	1300
Noise Level	dBA	< 46	< 46	< 46	< 46
Dimensions (L * H * W)	mm	900 * 240 * 300	1070 * 255 *325	1070 * 255 *325	1070 * 255 *325
Net / Gross Weight	Kg	10.6 / 13.3	14.2 /19.6	14.2 /19.6	14.2 /19.6

M2plus

OUTDOOR UNIT



Condenser Type		Copper	Copper	Copper	Copper
Compressor		Highly / GMCC	Highly / GMCC	Highly / GMCC	Highly / GMCC
Compressor Type		Rotary	Rotary	Rotary	Rotary
Air Flow Volume	CMH (mAhr)	2100	2100	2300	2100
Noise Level	dBA	< 58	< 58	< 58	< 58
Refrigerant Type / Charge	Type / Kg	R -32 / 0.750	R -32 / 0.900	R -32 / 1.150	R -32 / 0.750
Dimensions (W * H * D)	mm	925 * 355 * 625	995 * 435 * 685	995 * 435 * 685	995 * 435 * 685
Net / Gross Weight	Kg	24.3 / 28.8	42.5 / 47.2	42.5 / 47.2	42.5 / 47.2
Piping Connection	meter	3	3	3.5	3
Approx. Cooling Area	Sq Ft	120 -150	150 -180	200 -300	150 - 180

M2PLUS HOME APPLIANCES



ECCO TECHNICAL SPECIFICATION
Voltage : 230AC, 50 Hz
Rating : 20 min.
- 2 Jar with flow breaker for efficient grinding
- S.S Jar and S.S. Dry Jar
- Over Load Protector
- 3 Speed Piano Switch
- Elegant Design



JUMBO TECHNICAL SPECIFICATION
Voltage : 230AC, 50 Hz
Rating : 20 min.
- Elegant Design
- Easy removable transparent container for Pulp
- 3 Jar with flow breaker for efficient grinding
- Poly jar, dry grinding & chutney jar
- Auto circuit breaker



MADHANI
TECHNICAL SPECIFICATION
Voltage : 230AC, 50 Hz
Copper Winding



HAND BLENDER (SLEEK)
TECHNICAL SPECIFICATION

SLEEK
TECHNICAL SPECIFICATION
Non Stick Coated Plate
Voltage : 230AC, 50 Hz
Adjestable Temp.
Over Heat Safety Protection
Watt : 750w



MAGIC
TECHNICAL SPECIFICATION
Non Stick Coated Plate
Voltage : 230AC, 50 Hz
Adjestable Temp.
Over Heat Safety Protection
Watt : 750w



WONDER 48"
TECHNICAL SPECIFICATION
Voltage : 230AC, 50 Hz
watt : 50 w





POPULAR 48"
TECHNICAL SPECIFICATION
Voltage : 230AC, 50 Hz
watt : 50 w





TECHNICAL SPECIFICATION
3 Speed Control
Oscilating Motor
Hi Speed Copper Motor
ABS Blade
Adjestable Heads
Voltage : 230AC, 50 Hz
watt : 42 to 58w

M2PLUS MUSIC SYSTEMS

M2plus

Turn up the music from your favourite zone!

www.m2plus.in

Twin Tower



Single Tower



Trolley Speaker



Trolley Speaker



Sound Bar



M2plus

www.m2plus.in

HAPPY CUSTOMERS

शिक्षा मंत्रालय
MINISTRY OF
EDUCATION
सत्यमेव जयते

ग्रामीण विकास मंत्रालय
भारत सरकार
MINISTRY OF RURAL DEVELOPMENT
GOVERNMENT OF INDIA

INDIAN RAILWAYS

NATIONAL RURAL HEALTH MISSION

lemon tree PREMIER

HOTEL HOLY VIVASA

G20 भारत 2023 INDIA

Kailash

YATHARTH HOSPITAL GREATER NOIDA

Apollo HOSPITALS
TOUCHING LIVES

OM NAVJEEVAN HOSPITAL & RESEARCH CENTRE

MAX Healthcare

M2plus



We got established with an aim to shoulder the responsibility of taking home entertainment & consumer durable products to everyone at a reasonable cost with unmatched services.

Our products are rated among top aspirational brands in different business verticals led by dedicated professionals and supported by sound infrastructure, adequate supply of equipment, immaculate policies and a spark in the eyes to reach the pinnacles of excellence in the field.

www.m2plus.in

M2PLUS HOME APPLIANCES & ELECTRONICS PVT. LTD.
Factory Location:- Udyog Kendra Ecotech III Grater Noida
Sector 11 Noida Pin:- 201301
E-mail : info@m2plus.in
E-mail : support@m2plus.in
Whatsapp Call No. : +91-9205003211

MAKE IN INDIA

GeM Government e Marketplace

* Free installation & Brackets : Terms & Conditions Apply. Available in selected cities only. Service Network all over India.
The Company reserves the right to change, suspend, continue or terminate all or any product/information given in the catalog anytime without prior notice.